



MAXGARD® 1800

SAFETY DATA SHEET

Replaced Version 2012-09-05
Revision Date 2013-12-01

1. PRODUCT AND COMPANY INFORMATION

Product Name : Disodium-2,2'-dihydroxy-4,4'-dimethoxy-5,5'-disulfobenzophenone
Product Number : MAXGARD® 1800
Brand : MAXGARD®
REACH Status : Pre-registered 2008-09-17
Identified Uses : UV stabilizer; Laboratory chemicals; Manufacture of substances
Company : Lycus Ltd., LLC
181 Cooper Drive
El Dorado, AR 71730-6601
USA

Telephone : +1 870-881-5000
Fax : +1 870-862-9628
Emergency Phone Number : +1 800-424-9300 (CHEMTREC)

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards No known OSHA hazards

GHS Label elements, including precautionary statements

Pictogram



Signal Word Warning

Hazard statement(s)

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H402 Harmful to aquatic life.

Precautionary statement(s)

P261 Avoid breathing dust/fume/gas/mist/vapor/spray.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

HMIS Classification

Health Hazard 1 Blue
Flammability 1 Red
Physical Hazards 0 Orange

NFPA 704 Rating

Health Hazard 1 Blue



MAXGARD® 1800

SAFETY DATA SHEET

Replaced Version 2012-09-05

Revision Date 2013-12-01

Fire 1 Red
Reactivity Hazard 0 Yellow

Potential Health Effects

Inhalation May be harmful if inhaled. May cause respiratory tract irritation.
Skin May be harmful if absorbed through skin. May cause skin irritation.
Eyes May cause eye irritation.
Ingestion May be harmful if swallowed.

EU/International Classification of the substance or mixture**According to Regulation (EC) No1272/2008**

Skin irritation (Category 2)
Eye irritation (Category 2)
Acute aquatic toxicity (Category 3)

According to European Directive 67/548/EEC as amended.

Irritating to eyes, respiratory system and skin.

EU/International Label elements**Hazard symbol(s)**

Xi Irritant

R-phrases(s)

R36/37/38 Irritating to eyes, respiratory system and skin.

S-phrases(s)

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S37/39 Wear suitable gloves and eye/face protection.

Other Hazards None

3. COMPOSITION/INFORMATION OF INGREDIENTS

Formula : C₁₅H₁₄O₁₁S₂Na₂
Molecular Weight : 478.36 g/mol
Synonyms : Benzophenone-9, Bensenesulfonic acid, 3,3'-carbonylbis(4-hydroxy-6-methoxy-), disodium

| CAS-No. | EC-No. | Index-No. | EU/International Classification | Concentration |
|---|-----------|-----------|---|------------------|
| Disodium-2,2'-dihydroxy-4,4'-dimethoxy-5,5'-disulfobenzophenone | | | | |
| 76656-36-5 | 278-520-4 | - | - | >=65.0 - <=70.0% |
| Sodium Sulfate | | | | |
| 7757-82-6 | 231-820-9 | - | Skin Irrit. 2; Eye Irrit. 2; H315, H319, H402 | >=25.0 - <=30.0% |



MAXGARD® 1800

SAFETY DATA SHEET

Replaced Version 2012-09-05
Revision Date 2013-12-01

| | | | | |
|-----------------|-----------|---|--------------------|----------------|
| Sodium Chloride | | | | |
| 7647-14-5 | 231-598-3 | - | Eye Irrit. 2; H319 | >=1.0 - <=5.0% |

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

General advice

Remove contaminated clothing. Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes with eyelids held open. Consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water and then drink plenty of water. Do NOT induce vomiting. Consult a physician.

Note to physician

Treatment: Symptomatic treatment (decontamination, vital functions). No known specific antidote.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use water spray, alcohol-resistant foam or dry chemical. Carbon dioxide is not recommended because it is an asphyxiant.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. – Carbon oxides

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and turn-out gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid dust formation. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

Environmental precautions



MAXGARD® 1800

SAFETY DATA SHEET

Replaced Version 2012-09-05

Revision Date 2013-12-01

Do not let product enter drains.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventative fire protection.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of the workday.

Personal protective equipment

Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Ensure respirators conform to 29 CFR 1910.134.

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Eye protection

Eye and face protection conforming to 29 CFR 1910.133 or EN166. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

Skin and body protection



MAXGARD® 1800

SAFETY DATA SHEET

Replaced Version 2012-09-05

Revision Date 2013-12-01

Impervious clothing, the type of protective clothing must be selected according to the concentration and amount of dangerous substance at the specific workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

| | |
|-------|----------------|
| Form | powder |
| Color | greenish white |

Safety data

| | |
|--------------------------|---------------------------------------|
| Odor | oderless |
| pH | no data available |
| Melting point | no data available |
| Boiling point | no data available |
| Flash point | no data available |
| Ignition temperature | no data available |
| Lower explosion limit | no data available |
| Upper explosion limit | no data available |
| Water solubility | 50 g/l |
| Solubility (qualitative) | soluble; solvent(s): organic solvents |
| Density | 1.21 g/cm ³ (25 °C) |

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions

Conditions to avoid

Avoid humidity

Materials to avoid

Strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. – Carbon oxides; Sulphur oxides; Sodium oxides

Thermal decomposition

> 260 °C

Corrosion to metals

No corrosive effect on metal

11. TOXICOLOGICAL INFORMATION

Acute toxicity

| | |
|------|-------------------------------|
| Oral | LD50 Oral – rat – 9,000 mg/kg |
|------|-------------------------------|



MAXGARD® 1800

SAFETY DATA SHEET

Replaced Version 2012-09-05
Revision Date 2013-12-01

Dermal LC50 Dermal – rabbit – non-irritant
Inhalation no data available

Skin corrosion/irritation

Skin irritation rabbit – non-irritant

Serious eye damage/eye irritation

Eye irritation rabbit – non-irritant

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

| | |
|-------|---|
| IARC | No component of this product present at levels greater than or equal to 0.1% is identified as possible or confirmed human carcinogen by IARC. |
| ACGIH | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. |
| NTP | No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. |
| OSHA | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. |

Reproductive toxicity

No data available

Specific target organ toxicity – single exposure

Inhalation May cause respiratory irritation.

Specific target organ toxicity – repeated exposure

No data available

Aspiration hazard

No data available

Potential health effects

| | |
|------------|---|
| Inhalation | May be harmful if inhaled. May cause respiratory tract irritation. |
| Ingestion | May be harmful if swallowed. |
| Skin | May be harmful if absorbed through skin. May cause skin irritation. |
| Eyes | May cause eye irritation. |

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Additional Information

RTECS no data available

12. ECOLOGICAL INFORMATION



MAXGARD® 1800

SAFETY DATA SHEET

Replaced Version 2012-09-05
Revision Date 2013-12-01

Eco toxicity

Acute and Chronic toxicity to fish

DIN 38412 Part 15 static golden orfe/LC50 (96 h): 10,000 mg/l

The details of the toxic effect relate to the nominal concentration.

Acute toxicity to microorganisms

DIN 38412 Part 8 aquatic bacterium/EC10 (16 h): >10,000 mg/l

The details of the toxic effect relate to the nominal concentration.

Other Eco toxicological advice

Do not release untreated into natural waters.

Persistence and degradability

Biodegradation

Test method: OECD 302B (aerobic), activated sludge, domestic

Method of analysis: DOC reduction

Degree of elimination: <20% (32 d)

Evaluation: Not readily biodegradable (by OECD criteria). Poorly biodegradable. Poorly eliminated from water.

Bio accumulative potential

Significant accumulation in organisms is not to be expected.

Mobility in soil

No data available

PBT and vPvB assessment

No data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life.

13. DISPOSAL CONSIDERATIONS

Product

Offer surplus and non-recyclable materials to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

RCRA requirements

None



MAXGARD® 1800

SAFETY DATA SHEET

Replaced Version 2012-09-05
Revision Date 2013-12-01

14. TRANSPORT INFORMATION

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

TDG (Canada)

Not dangerous goods

ICAO/IATA

Not dangerous goods

ADR/RID

Not dangerous goods

15. REGULATORY INFORMATION

OSHA Hazards

No known OSHA hazards

TSCA Inventory

CAS No. 76656-36-5 is listed/approved

CAS No. 7757-82-6 is listed/approved

CAS No. 7647-14-5 is listed/approved

SARA 302 Components

SARA 302: No chemicals in this material are subject to the requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312

No SARA Hazards

Massachusetts Right to Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right to Know Components

| | CAS No. | Revision Date |
|---|----------------|----------------------|
| Disodium-2,2'-dihydroxy-4,4'-dimethoxy-5,5'-disulfobenzophenone | 76656-36-5 | |
| Sodium sulfate anhydrous | 7757-82-6 | 1993-04-24 |
| Sodium chloride | 7647-14-5 | |

New Jersey Right to Know Components

| | CAS No. | Revision Date |
|---|----------------|----------------------|
| Disodium-2,2'-dihydroxy-4,4'-dimethoxy-5,5'-disulfobenzophenone | 76656-36-5 | |
| Sodium sulfate anhydrous | 7757-82-6 | 1993-04-24 |



MAXGARD® 1800

SAFETY DATA SHEET

Replaced Version 2012-09-05
Revision Date 2013-12-01

Sodium chloride

7647-14-5

California Prop. 65 Components

This product does not contain any chemical known to the State of California to cause cancer, birth defects, or any other reproductive harm.

DSL Status

CAS No. 76656-36-5 is on the Canadian DSL list

CAS No. 7757-82-6 is on the Canadian DSL list

CAS No. 7647-14-5 is on the Canadian DSL list

WHMIS Classification

None

WGK (Water Danger/Protection)

no data available

Regulation (EC) No. 1907/2006

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

16. OTHER INFORMATION

In accordance with good practices of personal cleanliness and hygiene handle with due care and avoid unnecessary contact with this product.

This information is being supplied to you under OSHA "Right to Know / Right to Understand" Regulation 29 CFR 1910.1200 and is offered in good faith as typical values and not as a product specification. The information contained herein is based on the data available to us and is believed to be true and accurate.

No warranty, expressed or implied, regarding the accuracy of this data, the hazards connected with the use of the material, or the results obtained from the use thereof, is made. Lycus Ltd. assumes no responsibility for damage or injury from the use of the product described herein.

Text of H-code(s) and R-phrases mentioned in Section 3

| | |
|-------------|---|
| Eye Irrit. | Eye irritation |
| H315 | Causes skin irritation |
| H319 | Causes serious eye irritation |
| H335 | May cause respiratory irritation |
| H402 | |
| Skin Irrit. | Skin irritation |
| Xi | Irritant |
| R36/37/38 | Irritating to eyes, respiratory system and skin |

Further information

Copyright 2013 Lycus Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Lycus Ltd., shall not be held liable for any damage resulting from handling or from contact with the above product.



MAXGARD® 1800

SAFETY DATA SHEET

Replaced Version 2012-09-05
Revision Date 2013-12-01

| | |
|------------------|-------------------|
| Data prepared: | October 9, 2005 |
| Date of revision | September 5, 2012 |
| Date of revision | December 1, 2013 |